BRAIN RESEARCH

VOL. 812 NOS. 1,2 **CONTENTS** **23 NOVEMBER 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – EMBASE/Excerpta Medica – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Elsevier BIOBASE/Current Awareness in Biological Sciences

Guidelines to the submission of manuscripts v

Research reports

Inhibition of major cationic inward currents prevents spreading depression-like hypoxic depolarization in rat hippocampal tissue slices
M. Müller and G.G. Somjen (USA) 1

Ascorbate modulates glutamate-induced excitations of striatal neurons
E.A. Kiyatkin and G.V. Rebec (USA) 14

A distributed cortical network for auditory sensory memory in humans
C. Alain, D.L. Woods and R.T. Knight (Canada, USA) 23

Differential rearing affects corpus callosum size and cognitive function of rhesus monkeys
M.M. Sánchez, E.F. Hearn, D. Do, J.K. Rilling and J.G. Herndon (USA) 38

Globus pallidus lesions depress the excitatory responses to apomorphine but not amphetamine in the subthalamic nucleus of the behaving rat with a 6-OHDA nigra lesion
M.E. Olds, D.B. Jacques and O. Kopyov (USA) 50

Differential effects of clozapine and haloperidol on ketamine-induced brain metabolic activation
G.E. Duncan, J.N. Leipzig, R.B. Mailman and J.A. Lieberman (USA) 65

Ganglioside GM1 potentiates NGF action on axotomised medial septal cholinergic neurons
M.K. Panni, J.D. Cooper and M.V. Sofroniew (UK) 76

Optical responses evoked by single-pulse stimulation to the dorsal root in the rat spinal dorsal horn in slice
H. Ikeda, P.-D. Ryu, J.-B. Park, M. Tanifuji, T. Asai and K. Murase (Japan, South Korea) 81

Ethanol is a potent inhibitor of canine cerebrospinal fluid production: an acute and reversible effect
S. Javaheri and W. Corbett (USA) 91

Differential regulation of microglial activation by propentofylline via cAMP signaling
Q. Si, Y. Nakamura, T. Ogata, K. Kataoka and P. Schubert (Japan, Germany) 97

Stereoselective blood-brain barrier transport of histidine in rats
J. Yamakami, E. Sakurai, T. Sakurada, K. Maeda and N. Hikichi (Japan) 105

Escapable and inescapable stress differentially alter extracellular levels of 5-HT in the basolateral amygdala of the rat
J. Amat, P. Matus-Amat, L.R. Watkins and S.F. Maier (Venezuela, USA) 113

Cholinergic activation in frontal cortex and nucleus accumbens related to basic behavioral manipulations: handling, and the role of post-handling experience
C.M. Thiel, J.P. Huston and R.K.W. Schwarting (Germany) 121

Regulation of Ca^{2+}-activated nonselective cationic currents in rat pituitary GH_3 cells: involvement in L-type Ca^{2+} current
S.-N. Wu, H.-F. Li and C.-R. Jan (Taiwan) 133

Hyperexcitability of amygdala neurons of Senescence-Accelerated Mouse revealed by electrical and optical recordings in an in vitro slice preparation
H. Nakanishi, M. Miyazaki, N. Takai, H.-D. Wang, T. Yamamoto, S. Watanabe and K. Yamamoto (Japan) 142

Differential time courses of exogenous 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine and its metabolite MPP^+ in the rat striatum and nucleus accumbens measured using in vivo voltammetry
T. Nakazato and A. Akiyama (Japan) 150

Dopamine receptor sensitive effect of dizocilpine on feeding behaviour
I. Ninan and S.K. Kulkarni (India) 157

(Contents continued on p. 308)

ContentsDirect, the ***free*** e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **ContentsDirect** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect.** If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk - specifying the title of the publication you wish to register for.

0006-8993(19981123)812:1/2;1-V

BRAIN RESEARCH

VOL. 812 NOS. 1,2 **CONTENTS** **23 NOVEMBER 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – EMBASE/Excerpta Medica – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Elsevier BIOBASE/Current Awareness in Biological Sciences

Guidelines to the submission of manuscripts v

Research reports

Inhibition of major cationic inward currents prevents spreading depression-like hypoxic depolarization in rat hippocampal tissue slices
M. Müller and G.G. Somjen (USA) 1

Ascorbate modulates glutamate-induced excitations of striatal neurons
E.A. Kiyatkin and G.V. Rebec (USA) 14

A distributed cortical network for auditory sensory memory in humans
C. Alain, D.L. Woods and R.T. Knight (Canada, USA) 23

Differential rearing affects corpus callosum size and cognitive function of rhesus monkeys
M.M. Sánchez, E.F. Hearn, D. Do, J.K. Rilling and J.G. Herndon (USA) 38

Globus pallidus lesions depress the excitatory responses to apomorphine but not amphetamine in the subthalamic nucleus of the behaving rat with a 6-OHDA nigra lesion
M.E. Olds, D.B. Jacques and O. Kopyov (USA) 50

Differential effects of clozapine and haloperidol on ketamine-induced brain metabolic activation
G.E. Duncan, J.N. Leipzig, R.B. Mailman and J.A. Lieberman (USA) 65

Ganglioside GM1 potentiates NGF action on axotomised medial septal cholinergic neurons
M.K. Panni, J.D. Cooper and M.V. Sofroniew (UK) 76

Optical responses evoked by single-pulse stimulation to the dorsal root in the rat spinal dorsal horn in slice
H. Ikeda, P.-D. Ryu, J.-B. Park, M. Tanifuji, T. Asai and K. Murase (Japan, South Korea) 81

Ethanol is a potent inhibitor of canine cerebrospinal fluid production: an acute and reversible effect
S. Javaheri and W. Corbett (USA) 91

Differential regulation of microglial activation by propentofylline via cAMP signaling
Q. Si, Y. Nakamura, T. Ogata, K. Kataoka and P. Schubert (Japan, Germany) 97

Stereoselective blood-brain barrier transport of histidine in rats
J. Yamakami, E. Sakurai, T. Sakurada, K. Maeda and N. Hikichi (Japan) 105

Escapable and inescapable stress differentially alter extracellular levels of 5-HT in the basolateral amygdala of the rat
J. Amat, P. Matus-Amat, L.R. Watkins and S.F. Maier (Venezuela, USA) 113

Cholinergic activation in frontal cortex and nucleus accumbens related to basic behavioral manipulations: handling, and the role of post-handling experience
C.M. Thiel, J.P. Huston and R.K.W. Schwarting (Germany) 121

Regulation of Ca^{2+}-activated nonselective cationic currents in rat pituitary GH_3 cells: involvement in L-type Ca^{2+} current
S.-N. Wu, H.-F. Li and C.-R. Jan (Taiwan) 133

Hyperexcitability of amygdala neurons of Senescence-Accelerated Mouse revealed by electrical and optical recordings in an in vitro slice preparation
H. Nakanishi, M. Miyazaki, N. Takai, H.-D. Wang, T. Yamamoto, S. Watanabe and K. Yamamoto (Japan) 142

Differential time courses of exogenous 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine and its metabolite MPP^+ in the rat striatum and nucleus accumbens measured using in vivo voltammetry
T. Nakazato and A. Akiyama (Japan) 150

Dopamine receptor sensitive effect of dizocilpine on feeding behaviour
I. Ninan and S.K. Kulkarni (India) 157

(Contents continued on p. 308)

ContentsDirect, the ***free*** e-mail alerting service, delivers the table of contents for this journal directly to your PC, prior to publication. The quickest way to register for **ContentsDirect** is via the Internet at: **http://www.elsevier.nl/locate/ContentsDirect.** If you don't have access to the Internet you can register for this service by sending an e-mail message to cdsubs@elsevier.co.uk - specifying the title of the publication you wish to register for.

0006-8993(19981123)812:1/2;1-V

(contents continued)

Tolbutamide attenuates diazoxide-induced aggravation of hypoxic cell injury
M. Pissarek, C. Reichelt, G.-J. Krauss and P. Illes (Germany) 164
Opposite trends of changes in reactive behaviours of macrophages and astrocytes following gamma-irradiation performed at different stages of prenatal development. A study in the injured brain of 6-day-old rat
K. Janeczko, Z. Setkowicz and A. Baran (Poland) 172
GABA and GABA-transporter (GAT-1) immunoreactivities in the retina of the salmon (*Salmo salar* L.)
P. Ekström and M. Anzelius (Sweden) 179
The effect of ACPD on the responses to NMDA and AMPA varies with layer in slices of rat visual cortex
X.-F. Wang, N.W. Daw and X.-t. Jin (USA) 186
Alterations in local cerebral glucose utilization produced by D_3 dopamine receptor-selective doses of 7-OH-DPAT and nafadotride
B. Levant, R.S. Cross and T.L. Pazdernik (USA) 193
Expression of BDNF and trkB as a function of age and cognitive performance
S.D. Croll, N.Y. Ip, R.M. Lindsay and S.J. Wiegand (USA) 200
Seizure induced synthesis of fibronectin is rapid and age dependent: implications for long-term potentiation and sprouting
K.B. Hoffman, J.K. Pinkstaff, C.M. Gall and G. Lynch (USA) 209
Amelioration by cyclosporin A of brain damage in transient forebrain ischemia in the rat
H. Uchino, E. Elmér, K. Uchino, P.-A. Li, Q.-P. He, M.-L. Smith and B.K. Siesjö (Japan, USA, Sweden) 216
The renal afferent pathways in the rat: a pseudorabies virus study
M.L. Weiss and S.I. Chowdhury (USA) 227

Short communications

Effects of PKC and PKA phosphorylation on desensitization of nicotinic acetylcholine receptors
T. Nishizaki and K. Sumikawa (Japan, USA) 242
The NMDA receptor antagonist CPP impairs conditioned taste aversion and insular cortex long-term potentiation in vivo.
M.L. Escobar, I. Alcocer and V. Chao (Mexico) 246
Decreased seizure threshold and more rapid rate of kindling in rats with cortical malformation induced by prenatal treatment with methylazoxymethanol.
N. Chevassus-au-Louis, Y. Ben-Ari and M. Vergnes (France) 252
Leptin receptors in estrogen receptor-containing neurons of the female rat hypothalamus
S. Diano, S.P. Kalra, H. Sakamoto and T.L. Horvath (USA, Japan) 256
Depletion of dopamine in the nucleus accumbens prevents the generation of locomotion by metabotropic glutamate receptor activation
D. Meeker, J.-H. Kim and P. Vezina (USA) 260
Rapid disappearance of zinc positive terminals in focal brain ischemia
J.C. Sørensen, B. Mattsson, A. Andreasen and B.B. Johansson (Denmark, Sweden) 265
Anandamide modulates sleep and memory in rats
E. Murillo-Rodríguez, M. Sánchez-Alavez, L. Navarro, D. Martínez-González, R. Drucker-Colín and O. Prospéro-García (Mexico) 270
Dopamine-degrading activity of monoamine oxidase is not detected by histochemistry in neurons of the substantia nigra pars compacta of the rat
R. Arai, K. Horiike and Y. Hasegawa (Japan) 275
Calcitonin increases 5-HT1A binding site densities in the brain of adrenalectomized rats
F. Boujrad, F. Dauphin and R. De Beaurepaire (France) 279
Response properties of neurons in the caudate–putamen and globus pallidus to noxious and non-noxious thermal stimulation in anesthetized rats
E.H. Chudler (USA) 283
Hypoxic induction of vascular endothelial growth factor (VEGF) protein in astroglial cultures
A.D. Sinor, S.M. Irvin, C.S. Cobbs, J. Chen, S.H. Graham and D.A. Greenberg (USA) 289
Immunohistochemical localization of the angiotensin II type 1 receptor in human hypothalamus and brainstem
E.E. Benarroch and A.M. Schmeichel (USA) 292
5-(*N*-Ethyl-*N*-isopropyl)-amiloride inhibits amino acid release from the ischemic rat cerebral cortex: role of Na^+–H^+ exchange
J.W. Phillis, M.H. O'Regan and D. Song (USA) 297
Complex effects of general anesthesia on sensory processing in the spinal dorsal horn
T. Yanagidani, K. Ota and J.G. Collins (USA) 301

Author Index 305